

CY 2013-2014 Change in Radonc RVU Components, Non-Facility Setting

CPT/ HCPCS	Mod	Status	Description	2013 MD	2014 MD	2013-14 Change	2013-14 %	2013 Non-facility	2014 Non-facility	2013-14 Change	2013-14 %	2013 Malpractice	2014 Malpractice	2013-14 Change	2013-14 %	Total 2013	Total 2014	2013-14 Change	2013-14 %	CPT/ HCPCS	Mod
				Work RVUs	Work RVUs			RVUs	RVUs			RVUs	RVUs			RVUs	RVUs				
31575		A	Diagnostic laryngoscopy	1.10	1.10	0.00	0	2.24	2.03	-0.21	-9.4%	0.12	0.11	-0.01	-8.3%	3.46	3.24	-0.22	-6.4%	31575	
55875		A	Transperi needle place pros	13.46	13.46	0.00	0	7.42	6.94	-0.48	-6.5%	1.29	1.23	-0.06	-4.7%	22.17	21.63	-0.54	-2.4%	55875	
55876		A	Place rt device/marker pros	1.73	1.73	0.00	0	2.08	1.91	-0.17	-8.2%	0.16	0.15	-0.01	-6.3%	3.97	3.79	-0.18	-4.5%	55876	
76873		A	Echograp trans r pros study	1.55	1.55	0.00	0	3.47	3.21	-0.26	-7.5%	0.09	0.09	0.00	0.0%	5.11	4.85	-0.26	-5.1%	76873	
76873	TC	A	Echograp trans r pros study	0.00	0.00	0.00	#DIV/0!	2.87	2.62	-0.25	-8.7%	0.01	0.01	0.00	0.0%	2.88	2.63	-0.25	-8.7%	76873	TC
76873	26	A	Echograp trans r pros study	1.55	1.55	0.00	0	0.60	0.59	-0.01	-1.7%	0.08	0.08	0.00	0.0%	2.23	2.22	-0.01	-0.4%	76873	26
76942		A	Echo guide for biopsy	0.67	0.67	0.00	0	5.43	1.35	-4.08	-75.1%	0.05	0.05	0.00	0.0%	6.15	2.07	-4.08	-66.3%	76942	
76942	TC	A	Echo guide for biopsy	0.00	0.00	0.00	#DIV/0!	5.18	1.11	-4.07	-78.6%	0.01	0.01	0.00	0.0%	5.19	1.12	-4.07	-78.4%	76942	TC
76942	26	A	Echo guide for biopsy	0.67	0.67	0.00	0	0.25	0.24	-0.01	-4.0%	0.04	0.04	0.00	0.0%	0.96	0.95	-0.01	-1.0%	76942	26
76950		A	Echo guidance radiotherapy	0.58	0.58	0.00	0	0.87	0.82	-0.05	-5.7%	0.04	0.04	0.00	0.0%	1.49	1.44	-0.05	-3.4%	76950	
76950	TC	A	Echo guidance radiotherapy	0.00	0.00	0.00	#DIV/0!	0.64	0.59	-0.05	-7.8%	0.01	0.01	0.00	0.0%	0.65	0.60	-0.05	-7.7%	76950	TC
76950	26	A	Echo guidance radiotherapy	0.58	0.58	0.00	0	0.23	0.23	0.00	0.0%	0.03	0.03	0.00	0.0%	0.84	0.84	0.00	0.0%	76950	26
77014		A	Ct scan for therapy guide	0.85	0.85	0.00	0	2.76	2.56	-0.20	-7.2%	0.05	0.05	0.00	0.0%	3.66	3.46	-0.20	-5.5%	77014	
77014	TC	A	Ct scan for therapy guide	0.00	0.00	0.00	#DIV/0!	2.42	2.22	-0.20	-8.3%	0.01	0.01	0.00	0.0%	2.43	2.23	-0.20	-8.2%	77014	TC
77014	26	A	Ct scan for therapy guide	0.85	0.85	0.00	0	0.34	0.34	0.00	0.0%	0.04	0.04	0.00	0.0%	1.23	1.23	0.00	0.0%	77014	26
77261		A	Radiation therapy planning	1.39	1.39	0.00	0	0.61	0.61	0.00	0.0%	0.10	0.10	0.00	0.0%	2.10	2.10	0.00	0.0%	77261	
77262		A	Radiation therapy planning	2.11	2.11	0.00	0	0.86	0.87	0.01	1.2%	0.18	0.17	-0.01	-5.6%	3.15	3.15	0.00	0.0%	77262	
77263		A	Radiation therapy planning	3.14	3.14	0.00	0	1.27	1.26	-0.01	-0.8%	0.26	0.25	-0.01	-3.8%	4.67	4.65	-0.02	-0.4%	77263	
77280		A	Set radiation therapy field	0.70	0.70	0.00	0	4.58	6.84	2.26	49.3%	0.04	0.04	0.00	0.0%	5.32	7.58	2.26	42.5%	77280	
77280	TC	A	Set radiation therapy field	0.00	0.00	0.00	#DIV/0!	4.30	6.56	2.26	52.6%	0.01	0.01	0.00	0.0%	4.31	6.57	2.26	52.4%	77280	TC
77280	26	A	Set radiation therapy field	0.70	0.70	0.00	0	0.28	0.28	0.00	0.0%	0.03	0.03	0.00	0.0%	1.01	1.01	0.00	0.0%	77280	26
77285		A	Set radiation therapy field	1.05	1.05	0.00	0	8.31	10.70	2.39	28.8%	0.06	0.06	0.00	0.0%	9.42	11.81	2.39	25.4%	77285	
77285	TC	A	Set radiation therapy field	0.00	0.00	0.00	#DIV/0!	7.89	10.28	2.39	30.3%	0.01	0.01	0.00	0.0%	7.90	10.29	2.39	30.3%	77285	TC
77285	26	A	Set radiation therapy field	1.05	1.05	0.00	0	0.42	0.42	0.00	0.0%	0.05	0.05	0.00	0.0%	1.52	1.52	0.00	0.0%	77285	26
77290		A	Set radiation therapy field	1.56	1.56	0.00	0	13.98	12.52	-1.46	-10.4%	0.08	0.08	0.00	0.0%	15.62	14.16	-1.46	-9.3%	77290	
77290	TC	A	Set radiation therapy field	0.00	0.00	0.00	#DIV/0!	13.35	11.89	-1.46	-10.9%	0.01	0.01	0.00	0.0%	13.36	11.90	-1.46	-10.9%	77290	TC
77290	26	A	Set radiation therapy field	1.56	1.56	0.00	0	0.63	0.63	0.00	0.0%	0.07	0.07	0.00	0.0%	2.26	2.26	0.00	0.0%	77290	26
77293		A	Respirator motion mgmt simul	n/a	2.00			n/a	9.96			n/a	0.11			n/a	12.07			77293	
77293	TC	A	Respirator motion mgmt simul	n/a	0.00			n/a	9.16			n/a	0.01			n/a	9.17			77293	TC
77293	26	A	Respirator motion mgmt simul	n/a	2.00			n/a	0.80			n/a	0.10			n/a	2.90			77293	26
77295		A	Set radiation therapy field	4.56	4.29	-0.27	-5.9%	8.24	9.00	0.76	9.2%	0.28	0.25	-0.03	-10.7%	13.08	13.54	0.46	3.5%	77295	
77295	TC	A	Set radiation therapy field	0.00	0.00	0.00	#DIV/0!	6.40	7.28	0.88	13.8%	0.04	0.04	0.00	0.0%	6.44	7.32	0.88	13.7%	77295	TC
77295	26	A	Set radiation therapy field	4.56	4.29	-0.27	-5.9%	1.84	1.72	-0.12	-6.5%	0.24	0.21	-0.03	-12.5%	6.64	6.22	-0.42	-6.3%	77295	26
77299		C	Radiation therapy planning	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77299	
77299	TC	C	Radiation therapy planning	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77299	TC
77299	26	C	Radiation therapy planning	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77299	26
77300		A	Radiation therapy dose plan	0.62	0.62	0.00	0	1.30	1.22	-0.08	-6.2%	0.04	0.04	0.00	0.0%	1.96	1.88	-0.08	-4.1%	77300	
77300	TC	A	Radiation therapy dose plan	0.00	0.00	0.00	#DIV/0!	1.05	0.97	-0.08	-7.6%	0.01	0.01	0.00	0.0%	1.06	0.98	-0.08	-7.5%	77300	TC
77300	26	A	Radiation therapy dose plan	0.62	0.62	0.00	0	0.25	0.25	0.00	0.0%	0.03	0.03	0.00	0.0%	0.90	0.90	0.00	0.0%	77300	26
77301		A	Radiotherapy dose plan imrt	7.99	7.99	0.00	0	49.98	46.12	-3.86	-7.7%	0.63	0.60	-0.03	-4.8%	58.60	54.71	-3.89	-6.6%	77301	
77301	TC	A	Radiotherapy dose plan imrt	0.00	0.00	0.00	#DIV/0!	46.75	42.92	-3.83	-8.2%	0.22	0.21	-0.01	-4.5%	46.97	43.13	-3.84	-8.2%	77301	TC
77301	26	A	Radiotherapy dose plan imrt	7.99	7.99	0.00	0	3.23	3.20	-0.03	-0.9%	0.41	0.39	-0.02	-4.9%	11.63	11.58	-0.05	-0.4%	77301	26
77305		A	Teletx isodose plan simple	0.70	0.70	0.00	0	0.98	0.93	-0.05	-5.1%	0.04	0.04	0.00	0.0%	1.72	1.67	-0.05	-2.9%	77305	
77305	TC	A	Teletx isodose plan simple	0.00	0.00	0.00	#DIV/0!	0.70	0.65	-0.05	-7.1%	0.01	0.01	0.00	0.0%	0.71	0.66	-0.05	-7.0%	77305	TC
77305	26	A	Teletx isodose plan simple	0.70	0.70	0.00	0	0.28	0.28	0.00	0.0%	0.03	0.03	0.00	0.0%	1.01	1.01	0.00	0.0%	77305	26
77310		A	Teletx isodose plan intermed	1.05	1.05	0.00	0	1.38	1.30	-0.08	-5.8%	0.06	0.06	0.00	0.0%	2.49	2.41	-0.08	-3.2%	77310	
77310	TC	A	Teletx isodose plan intermed	0.00	0.00	0.00	#DIV/0!	0.96	0.88	-0.08	-8.3%	0.01	0.01	0.00	0.0%	0.97	0.89	-0.08	-8.2%	77310	TC
77310	26	A	Teletx isodose plan intermed	1.05	1.05	0.00	0	0.42	0.42	0.00	0.0%	0.05	0.05	0.00	0.0%	1.52	1.52	0.00	0.0%	77310	26
77315		A	Teletx isodose plan complex	1.56	1.56	0.00	0	2.29	2.16	-0.13	-5.7%	0.08	0.08	0.00	0.0%	3.93	3.80	-0.13	-3.3%	77315	
77315	TC	A	Teletx isodose plan complex	0.00	0.00	0.00	#DIV/0!	1.66	1.53	-0.13	-7.8%	0.01	0.01	0.00	0.0%	1.67	1.54	-0.13	-7.8%	77315	TC
77315	26	A	Teletx isodose plan complex	1.56	1.56	0.00	0	0.63	0.63	0.00	0.0%	0.07	0.07	0.00	0.0%	2.26	2.26	0.00	0.0%	77315	26
77321		A	Special teletx port plan	0.95	0.95	0.00	0	1.66	1.56	-0.10	-6.0%	0.05	0.05	0.00	0.0%	2.66	2.56	-0.10	-3.8%	77321	
77321	TC	A	Special teletx port plan	0.00	0.00	0.00	#DIV/0!	1.28	1.18	-0.10	-7.8%	0.01	0.01	0.00	0.0%	1.29	1.19	-0.10	-7.8%	77321	TC
77321	26	A	Special teletx port plan	0.95	0.95	0.00	0	0.38	0.38	0.00	0.0%	0.04	0.04	0.00	0.0%	1.37	1.37	0.00	0.0%	77321	26
77326		A	Brachytx isodose calc simp	0.93	0.93	0.00	0	3.30	3.05	-0.25	-7.6%	0.07	0.07	0.00	0.0%	4.30	4.05	-0.25	-5.8%	77326	

CY 2013-2014 Change in Radonc RVU Components, Non-Facility Setting

77326	TC	A	Brachytx isodose calc simp	0.00	0.00	0.00	#DIV/0!	2.92	2.68	-0.24	-8.2%	0.03	0.03	0.00	0.0%	2.95	2.71	-0.24	-8.1%	77326	TC
77326	26	A	Brachytx isodose calc simp	0.93	0.93	0.00	0	0.38	0.37	-0.01	-2.6%	0.04	0.04	0.00	0.0%	1.35	1.34	-0.01	-0.7%	77326	26
77327		A	Brachytx isodose calc interm	1.39	1.39	0.00	0	4.51	4.20	-0.31	-6.9%	0.10	0.10	0.00	0.0%	6.00	5.69	-0.31	-5.2%	77327	
77327	TC	A	Brachytx isodose calc interm	0.00	0.00	0.00	#DIV/0!	3.95	3.64	-0.31	-7.8%	0.03	0.03	0.00	0.0%	3.98	3.67	-0.31	-7.8%	77327	TC
77327	26	A	Brachytx isodose calc interm	1.39	1.39	0.00	0	0.56	0.56	0.00	0.0%	0.07	0.07	0.00	0.0%	2.02	2.02	0.00	0.0%	77327	26
77328		A	Brachytx isodose plan compl	2.09	2.09	0.00	0	5.77	5.38	-0.39	-6.8%	0.14	0.14	0.00	0.0%	8.00	7.61	-0.39	-4.9%	77328	
77328	TC	A	Brachytx isodose plan compl	0.00	0.00	0.00	#DIV/0!	4.93	4.54	-0.39	-7.9%	0.04	0.04	0.00	0.0%	4.97	4.58	-0.39	-7.8%	77328	TC
77328	26	A	Brachytx isodose plan compl	2.09	2.09	0.00	0	0.84	0.84	0.00	0.0%	0.10	0.10	0.00	0.0%	3.03	3.03	0.00	0.0%	77328	26
77331		A	Special radiation dosimetry	0.87	0.87	0.00	0	0.90	0.86	-0.04	-4.4%	0.05	0.05	0.00	0.0%	1.82	1.78	-0.04	-2.2%	77331	
77331	TC	A	Special radiation dosimetry	0.00	0.00	0.00	#DIV/0!	0.55	0.51	-0.04	-7.3%	0.01	0.01	0.00	0.0%	0.56	0.52	-0.04	-7.1%	77331	TC
77331	26	A	Special radiation dosimetry	0.87	0.87	0.00	0	0.35	0.35	0.00	0.0%	0.04	0.04	0.00	0.0%	1.26	1.26	0.00	0.0%	77331	26
77332		A	Radiation treatment aid(s)	0.54	0.54	0.00	0	1.78	1.67	-0.11	-6.2%	0.04	0.04	0.00	0.0%	2.36	2.25	-0.11	-4.7%	77332	
77332	TC	A	Radiation treatment aid(s)	0.00	0.00	0.00	#DIV/0!	1.56	1.45	-0.11	-7.1%	0.01	0.01	0.00	0.0%	1.57	1.46	-0.11	-7.0%	77332	TC
77332	26	A	Radiation treatment aid(s)	0.54	0.54	0.00	0	0.22	0.22	0.00	0.0%	0.03	0.03	0.00	0.0%	0.79	0.79	0.00	0.0%	77332	26
77333		A	Radiation treatment aid(s)	0.84	0.84	0.00	0	0.61	0.59	-0.02	-3.3%	0.05	0.05	0.00	0.0%	1.50	1.48	-0.02	-1.3%	77333	
77333	TC	A	Radiation treatment aid(s)	0.00	0.00	0.00	#DIV/0!	0.27	0.25	-0.02	-7.4%	0.01	0.01	0.00	0.0%	0.28	0.26	-0.02	-7.1%	77333	TC
77333	26	A	Radiation treatment aid(s)	0.84	0.84	0.00	0	0.34	0.34	0.00	0.0%	0.04	0.04	0.00	0.0%	1.22	1.22	0.00	0.0%	77333	26
77334		A	Radiation treatment aid(s)	1.24	1.24	0.00	0	3.11	2.90	-0.21	-6.8%	0.06	0.06	0.00	0.0%	4.41	4.20	-0.21	-4.8%	77334	
77334	TC	A	Radiation treatment aid(s)	0.00	0.00	0.00	#DIV/0!	2.61	2.40	-0.21	-8.0%	0.01	0.01	0.00	0.0%	2.62	2.41	-0.21	-8.0%	77334	TC
77334	26	A	Radiation treatment aid(s)	1.24	1.24	0.00	0	0.50	0.50	0.00	0.0%	0.05	0.05	0.00	0.0%	1.79	1.79	0.00	0.0%	77334	26
77336		A	Radiation physics consult	0.00	0.00	0.00	#DIV/0!	1.28	2.08	0.80	62.5%	0.01	0.01	0.00	0.0%	1.29	2.09	0.80	62.0%	77336	
77338		A	Design mlc device for imrt	4.29	4.29	0.00	0	10.16	9.46	-0.70	-6.9%	0.27	0.26	-0.01	-3.7%	14.72	14.01	-0.71	-4.8%	77338	
77338	TC	A	Design mlc device for imrt	0.00	0.00	0.00	#DIV/0!	8.43	7.74	-0.69	-8.2%	0.04	0.04	0.00	0.0%	8.47	7.78	-0.69	-8.1%	77338	TC
77338	26	A	Design mlc device for imrt	4.29	4.29	0.00	0	1.73	1.72	-0.01	-0.6%	0.23	0.22	-0.01	-4.3%	6.25	6.23	-0.02	-0.3%	77338	26
77370		A	Radiation physics consult	0.00	0.00	0.00	#DIV/0!	3.43	3.16	-0.27	-7.9%	0.04	0.04	0.00	0.0%	3.47	3.20	-0.27	-7.8%	77370	
77371		C	Srs multisource	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77371	
77372		A	Srs linear based	0.00	0.00	0.00	#DIV/0!	23.03	29.13	6.10	26.5%	0.05	0.05	0.00	0.0%	23.08	29.18	6.10	26.4%	77372	
77373		A	Sbrt delivery	0.00	0.00	0.00	#DIV/0!	37.23	34.87	-2.36	-6.3%	0.07	0.07	0.00	0.0%	37.30	34.94	-2.36	-6.3%	77373	
77399		C	External radiation dosimetry	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77399	
77399	TC	C	External radiation dosimetry	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77399	TC
77399	26	C	External radiation dosimetry	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77399	26
77401		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	0.60	0.55	-0.05	-8.3%	0.01	0.01	0.00	0.0%	0.61	0.56	-0.05	-8.2%	77401	
77402		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	4.55	3.90	-0.65	-14.3%	0.01	0.01	0.00	0.0%	4.56	3.91	-0.65	-14.3%	77402	
77403		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	3.76	3.45	-0.31	-8.2%	0.01	0.01	0.00	0.0%	3.77	3.46	-0.31	-8.2%	77403	
77404		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	4.18	3.85	-0.33	-7.9%	0.01	0.01	0.00	0.0%	4.19	3.86	-0.33	-7.9%	77404	
77406		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	4.17	3.83	-0.34	-8.2%	0.01	0.01	0.00	0.0%	4.18	3.84	-0.34	-8.1%	77406	
77407		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	6.63	7.09	0.46	6.9%	0.01	0.01	0.00	0.0%	6.64	7.10	0.46	6.9%	77407	
77408		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	5.18	4.75	-0.43	-8.3%	0.01	0.01	0.00	0.0%	5.19	4.76	-0.43	-8.3%	77408	
77409		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	5.76	5.28	-0.48	-8.3%	0.01	0.01	0.00	0.0%	5.77	5.29	-0.48	-8.3%	77409	
77411		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	5.79	5.25	-0.54	-9.3%	0.01	0.01	0.00	0.0%	5.80	5.26	-0.54	-9.3%	77411	
77412		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	7.05	6.73	-0.32	-4.5%	0.01	0.01	0.00	0.0%	7.06	6.74	-0.32	-4.5%	77412	
77413		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	6.79	6.25	-0.54	-8.0%	0.01	0.01	0.00	0.0%	6.80	6.26	-0.54	-7.9%	77413	
77414		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	7.65	7.04	-0.61	-8.0%	0.01	0.01	0.00	0.0%	7.66	7.05	-0.61	-8.0%	77414	
77416		A	Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	7.64	7.04	-0.60	-7.9%	0.01	0.01	0.00	0.0%	7.65	7.05	-0.60	-7.8%	77416	
77417		A	Radiology port film(s)	0.00	0.00	0.00	#DIV/0!	0.41	0.38	-0.03	-7.3%	0.01	0.01	0.00	0.0%	0.42	0.39	-0.03	-7.1%	77417	
77418		A	Radiation tx delivery imrt	0.00	0.00	0.00	#DIV/0!	11.91	11.02	-0.89	-7.5%	0.01	0.01	0.00	0.0%	11.92	11.03	-0.89	-7.5%	77418	
77421		A	Stereoscopic x-ray guidance	0.39	0.39	0.00	0	1.78	1.66	-0.12	-6.7%	0.02	0.02	0.00	0.0%	2.19	2.07	-0.12	-5.5%	77421	
77421	TC	A	Stereoscopic x-ray guidance	0.00	0.00	0.00	#DIV/0!	1.62	1.50	-0.12	-7.4%	0.01	0.01	0.00	0.0%	1.63	1.51	-0.12	-7.4%	77421	TC
77421	26	A	Stereoscopic x-ray guidance	0.39	0.39	0.00	0	0.16	0.16	0.00	0.0%	0.01	0.01	0.00	0.0%	0.56	0.56	0.00	0.0%	77421	26
77422		A	Neutron beam tx simple	0.00	0.00	0.00	#DIV/0!	8.29	1.16	-7.13	-86.0%	0.01	0.01	0.00	0.0%	8.30	1.17	-7.13	-85.9%	77422	
77423		A	Neutron beam tx complex	0.00	0.00	0.00	#DIV/0!	8.47	1.38	-7.09	-83.7%	0.01	0.01	0.00	0.0%	8.48	1.39	-7.09	-83.6%	77423	
77424		X	lo rad tx delivery by x-ray	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77424	
77425		X	lo rad tx deliver by elctrns	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77425	
77427		A	Radiation tx management x5	3.37	3.37	0.00	0	1.60	1.57	-0.03	-1.9%	0.27	0.26	-0.01	-3.7%	5.24	5.20	-0.04	-0.8%	77427	
77431		A	Radiation therapy management	1.81	1.81	0.00	0	0.93	0.91	-0.02	-2.2%	0.14	0.13	-0.01	-7.1%	2.88	2.85	-0.03	-1.0%	77431	
77432		A	Stereotactic radiation trmt	7.92	7.92	0.00	0	3.21	3.17	-0.04	-1.2%	0.65	0.62	-0.03	-4.6%	11.78	11.71	-0.07	-0.6%	77432	
77435		A	Sbrt management	11.87	11.87	0.00	0	4.92	4.87	-0.05	-1.0%	0.99	0.95	-0.04	-4.0%	17.78	17.69	-0.09	-0.5%	77435	
77469		A	lo radiation tx management	5.75	5.75	0.00	0	NA	2.55	#VALUE!	#VALUE!	0.47	0.45	-0.02	-4.3%	#VALUE!	8.75	#VALUE!	#VALUE!	77469	
77470		A	Special radiation treatment	2.09	2.09	0.00	0	2.25	2.13	-0.12	-5.3%	0.11	0.11	0.00	0.0%	4.45	4.33	-0.12	-2.7%	77470	
77470	TC	A	Special radiation treatment	0.00	0.00	0.00	#DIV/0!	1.40	1.29	-0.11	-7.9%	0.01	0.01	0.00	0.0%	1.41	1.30	-0.11	-7.8%	77470	TC

CY 2013-2014 Change in Radonc RVU Components, Non-Facility Setting

77470	26	A	Special radiation treatment	2.09	2.09	0.00	0	0.85	0.84	-0.01	-1.2%	0.10	0.10	0.00	0.0%	3.04	3.03	-0.01	-0.3%	77470	26
77499		C	Radiation therapy management	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77499	
77499	TC	C	Radiation therapy management	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77499	TC
77499	26	C	Radiation therapy management	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77499	26
77520		C	Proton trmt simple w/o comp	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77520	
77522		C	Proton trmt simple w/comp	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77522	
77523		C	Proton trmt intermediate	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77523	
77525		C	Proton treatment complex	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77525	
77600		R	Hyperthermia treatment	1.56	1.56	0.00	0	11.02	9.45	-1.57	-14.2%	0.10	0.10	0.00	0.0%	12.68	11.11	-1.57	-12.4%	77600	
77600	TC	R	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	10.39	8.82	-1.57	-15.1%	0.03	0.03	0.00	0.0%	10.42	8.85	-1.57	-15.1%	77600	TC
77600	26	R	Hyperthermia treatment	1.56	1.56	0.00	0	0.63	0.63	0.00	0.0%	0.07	0.07	0.00	0.0%	2.26	2.26	0.00	0.0%	77600	26
77605		R	Hyperthermia treatment	2.09	2.09	0.00	0	31.65	17.69	-13.96	-44.1%	0.41	0.39	-0.02	-4.9%	34.15	20.17	-13.98	-40.9%	77605	
77605	TC	R	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	30.82	16.87	-13.95	-45.3%	0.03	0.03	0.00	0.0%	30.85	16.90	-13.95	-45.2%	77605	TC
77605	26	R	Hyperthermia treatment	2.09	2.09	0.00	0	0.83	0.82	-0.01	-1.2%	0.38	0.36	-0.02	-5.3%	3.30	3.27	-0.03	-0.9%	77605	26
77610		R	Hyperthermia treatment	1.56	1.56	0.00	0	30.52	26.19	-4.33	-14.2%	0.10	0.10	0.00	0.0%	32.18	27.85	-4.33	-13.5%	77610	
77610	TC	R	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	29.90	25.62	-4.28	-14.3%	0.03	0.03	0.00	0.0%	29.93	25.65	-4.28	-14.3%	77610	TC
77610	26	R	Hyperthermia treatment	1.56	1.56	0.00	0	0.62	0.57	-0.05	-8.1%	0.07	0.07	0.00	0.0%	2.25	2.20	-0.05	-2.2%	77610	26
77615		R	Hyperthermia treatment	2.09	2.09	0.00	0	27.69	25.60	-2.09	-7.5%	0.17	0.17	0.00	0.0%	29.95	27.86	-2.09	-7.0%	77615	
77615	TC	R	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	26.84	24.76	-2.08	-7.7%	0.07	0.07	0.00	0.0%	26.91	24.83	-2.08	-7.7%	77615	TC
77615	26	R	Hyperthermia treatment	2.09	2.09	0.00	0	0.85	0.84	-0.01	-1.2%	0.10	0.10	0.00	0.0%	3.04	3.03	-0.01	-0.3%	77615	26
77620		R	Hyperthermia treatment	1.56	1.56	0.00	0	15.64	8.56	-7.08	-45.3%	0.08	0.08	0.00	0.0%	17.28	10.20	-7.08	-41.0%	77620	
77620	TC	R	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	15.02	7.93	-7.09	-47.2%	0.04	0.04	0.00	0.0%	15.06	7.97	-7.09	-47.1%	77620	TC
77620	26	R	Hyperthermia treatment	1.56	1.56	0.00	0	0.62	0.63	0.01	1.6%	0.04	0.04	0.00	0.0%	2.22	2.23	0.01	0.5%	77620	26
77750		A	Infuse radioactive materials	5.00	5.00	0.00	0	5.30	5.02	-0.28	-5.3%	0.29	0.28	-0.01	-3.4%	10.59	10.30	-0.29	-2.7%	77750	
77750	TC	A	Infuse radioactive materials	0.00	0.00	0.00	#DIV/0!	3.29	3.03	-0.26	-7.9%	0.03	0.03	0.00	0.0%	3.32	3.06	-0.26	-7.8%	77750	TC
77750	26	A	Infuse radioactive materials	5.00	5.00	0.00	0	2.01	1.99	-0.02	-1.0%	0.26	0.25	-0.01	-3.8%	7.27	7.24	-0.03	-0.4%	77750	26
77761		A	Apply intrcav radiat simple	3.85	3.85	0.00	0	7.18	6.73	-0.45	-6.3%	0.24	0.23	-0.01	-4.2%	11.27	10.81	-0.46	-4.1%	77761	
77761	TC	A	Apply intrcav radiat simple	0.00	0.00	0.00	#DIV/0!	5.65	5.24	-0.41	-7.3%	0.04	0.04	0.00	0.0%	5.69	5.28	-0.41	-7.2%	77761	TC
77761	26	A	Apply intrcav radiat simple	3.85	3.85	0.00	0	1.53	1.49	-0.04	-2.6%	0.20	0.19	-0.01	-5.0%	5.58	5.53	-0.05	-0.9%	77761	26
77762		A	Apply intrcav radiat interm	5.76	5.76	0.00	0	8.79	8.21	-0.58	-6.6%	0.35	0.34	-0.01	-2.9%	14.90	14.31	-0.59	-4.0%	77762	
77762	TC	A	Apply intrcav radiat interm	0.00	0.00	0.00	#DIV/0!	6.49	5.94	-0.55	-8.5%	0.05	0.05	0.00	0.0%	6.54	5.99	-0.55	-8.4%	77762	TC
77762	26	A	Apply intrcav radiat interm	5.76	5.76	0.00	0	2.30	2.27	-0.03	-1.3%	0.30	0.29	-0.01	-3.3%	8.36	8.32	-0.04	-0.5%	77762	26
77763		A	Apply intrcav radiat compl	8.66	8.66	0.00	0	11.85	11.15	-0.70	-5.9%	0.51	0.49	-0.02	-3.9%	21.02	20.30	-0.72	-3.4%	77763	
77763	TC	A	Apply intrcav radiat compl	0.00	0.00	0.00	#DIV/0!	8.36	7.68	-0.68	-8.1%	0.07	0.07	0.00	0.0%	8.43	7.75	-0.68	-8.1%	77763	TC
77763	26	A	Apply intrcav radiat compl	8.66	8.66	0.00	0	3.49	3.47	-0.02	-0.6%	0.44	0.42	-0.02	-4.5%	12.59	12.55	-0.04	-0.3%	77763	26
77776		A	Apply interstit radiat simpl	4.70	4.70	0.00	0	7.56	7.09	-0.47	-6.2%	0.36	0.35	-0.01	-2.8%	12.62	12.14	-0.48	-3.8%	77776	
77776	TC	A	Apply interstit radiat simpl	0.00	0.00	0.00	#DIV/0!	5.66	5.21	-0.45	-8.0%	0.05	0.05	0.00	0.0%	5.71	5.26	-0.45	-7.9%	77776	TC
77776	26	A	Apply interstit radiat simpl	4.70	4.70	0.00	0	1.90	1.88	-0.02	-1.1%	0.31	0.30	-0.01	-3.2%	6.91	6.88	-0.03	-0.4%	77776	26
77777		A	Apply interstit radiat inter	7.52	7.52	0.00	0	9.05	8.34	-0.71	-7.8%	0.54	0.52	-0.02	-3.7%	17.11	16.38	-0.73	-4.3%	77777	
77777	TC	A	Apply interstit radiat inter	0.00	0.00	0.00	#DIV/0!	6.07	5.33	-0.74	-12.2%	0.05	0.05	0.00	0.0%	6.12	5.38	-0.74	-12.1%	77777	TC
77777	26	A	Apply interstit radiat inter	7.52	7.52	0.00	0	2.98	3.01	0.03	1.0%	0.49	0.47	-0.02	-4.1%	10.99	11.00	0.01	0.1%	77777	26
77778		A	Apply interstit radiat compl	11.32	11.32	0.00	0	13.09	12.36	-0.73	-5.6%	0.68	0.65	-0.03	-4.4%	25.09	24.33	-0.76	-3.0%	77778	
77778	TC	A	Apply interstit radiat compl	0.00	0.00	0.00	#DIV/0!	8.55	7.87	-0.68	-8.0%	0.08	0.08	0.00	0.0%	8.63	7.95	-0.68	-7.9%	77778	TC
77778	26	A	Apply interstit radiat compl	11.32	11.32	0.00	0	4.54	4.49	-0.05	-1.1%	0.60	0.57	-0.03	-5.0%	16.46	16.38	-0.08	-0.5%	77778	26
77785		A	Hdr brachytx 1 channel	1.42	1.42	0.00	0	5.84	5.11	-0.73	-12.5%	0.10	0.10	0.00	0.0%	7.36	6.63	-0.73	-9.9%	77785	
77785	TC	A	Hdr brachytx 1 channel	0.00	0.00	0.00	#DIV/0!	5.27	4.54	-0.73	-13.9%	0.03	0.03	0.00	0.0%	5.30	4.57	-0.73	-13.8%	77785	TC
77785	26	A	Hdr brachytx 1 channel	1.42	1.42	0.00	0	0.57	0.57	0.00	0.0%	0.07	0.07	0.00	0.0%	2.06	2.06	0.00	0.0%	77785	26
77786		A	Hdr brachytx 2-12 channel	3.25	3.25	0.00	0	12.90	10.08	-2.82	-21.9%	0.21	0.20	-0.01	-4.8%	16.36	13.53	-2.83	-17.3%	77786	
77786	TC	A	Hdr brachytx 2-12 channel	0.00	0.00	0.00	#DIV/0!	11.59	8.77	-2.82	-24.3%	0.05	0.05	0.00	0.0%	11.64	8.82	-2.82	-24.2%	77786	TC
77786	26	A	Hdr brachytx 2-12 channel	3.25	3.25	0.00	0	1.31	1.31	0.00	0.0%	0.16	0.15	-0.01	-6.3%	4.72	4.71	-0.01	-0.2%	77786	26
77787		A	Hdr brachytx over 12 chan	4.89	4.89	0.00	0	22.85	16.33	-6.52	-28.5%	0.34	0.33	-0.01	-2.9%	28.08	21.55	-6.53	-23.3%	77787	
77787	TC	A	Hdr brachytx over 12 chan	0.00	0.00	0.00	#DIV/0!	20.87	14.37	-6.50	-31.1%	0.08	0.08	0.00	0.0%	20.95	14.45	-6.50	-31.0%	77787	TC
77787	26	A	Hdr brachytx over 12 chan	4.89	4.89	0.00	0	1.98	1.96	-0.02	-1.0%	0.26	0.25	-0.01	-3.8%	7.13	7.10	-0.03	-0.4%	77787	26
77789		A	Apply surface radiation	1.14	1.14	0.00	0	2.27	2.10	-0.17	-7.5%	0.06	0.06	0.00	0.0%	3.47	3.30	-0.17	-4.9%	77789	
77789	TC	A	Apply surface radiation	0.00	0.00	0.00	#DIV/0!	1.80	1.64	-0.16	-8.9%	0.01	0.01	0.00	0.0%	1.81	1.65	-0.16	-8.8%	77789	TC
77789	26	A	Apply surface radiation	1.14	1.14	0.00	0	0.47	0.46	-0.01	-2.1%	0.05	0.05	0.00	0.0%	1.66	1.65	-0.01	-0.6%	77789	26
77790		A	Radiation handling	1.05	1.05	0.00	0	1.68	1.58	-0.10	-6.0%	0.05	0.05	0.00	0.0%	2.78	2.68	-0.10	-3.6%	77790	
77790	TC	A	Radiation handling	0.00	0.00	0.00	#DIV/0!	1.26	1.17	-0.09	-7.1%	0.01	0.01	0.00	0.0%	1.27	1.18	-0.09	-7.1%	77790	TC
77790	26	A	Radiation handling	1.05	1.05	0.00	0	0.42	0.41	-0.01	-2.4%	0.04	0.04	0.00	0.0%	1.51	1.50	-0.01	-0.7%	77790	26
77799		C	Radium/radioisotope therapy	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77799	

CY 2013-2014 Change in Radonc RVU Components, Non-Facility Setting

77799	TC	C	Radium/radioisotope therapy	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77799	TC
77799	26	C	Radium/radioisotope therapy	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77799	26

Note: Differences greater than 20% have been bolded above
Note: change in conversion factor from CY 2013 (\$34.0230) to CY 2014, 1st Q (\$35.8228), is 5.29%

Sources: CMS-1600-FC, RVU14A (2014); CMS-1590-FC (2013)
CY 2013-14 Radonc RVUs Final

Copyright SATRO© 2014-2015; all rights reserved

Spreadsheet created for SATRO© by Paul Williams